₹,	Approved For Release 2002/08/21 CIAIRD 89800569R000300030067-3
Î.,	SECRET 3 ast/9/PPD 3 admin 7, R. I.
== 31	*DIRECTOR
25X1A _#	TOPE (1,2,3,4,5,6,7,8,2,10) ROUTINE
3.	' 'S/C (11) MLS
1	TOR: \$\text{\$013}\text{\$\psi Z 1}\text{\$\psi\$ DEC 6}\text{\$\psi\$}
25X1A 25X1A 25X1	PRITY 25X1A 25X1A 25X1A 25X1A
25X 25X	1. PRIOR TO MY DEPARTURE ONRECEIVED A PROPOSAL
	AND PROMISED THAT I WOULD VISIT THE BASE FOR A BRIEFING BY
	TO ACCOMPLISH. 2 SUGGEST YOU GO AHEAD AND LOOK INTO THIS MATTER AND IF YOU

- 2. SUGGEST YOU GO AHEAD AND LOOK INTO THIS MATTER AND IT IS
 SEE NO SIGNIFICANT DISADVANTAGE IN HAVING IT INSTALLED RECOMMEND
 YOU GIVE APPROVAL. PRELIMINARY INFO RECEIVED INDICATES WE
 WOULD HAVE GREATER FLEXIBILITY IN USE OF AIR TO GROUND
 COMMUNICATIONS WITH NO SACRIFICE IN DISCRETE USE OF OUR OWN
 FREQUENCIES.
- 3. BASE PERSONNEL APPEARED VERY ANXIOUS TO GET STARTED ON THE PRELIMINARY PAPERWORK AND SINCE MY RETURN IS INDEFINITE

Copy No.

25X1A Approved For Regions 2002/08/21 c CH-EDP89B00569R0003000 PAGE-32

DO NOT WISH TO DELAY THE MATTER IF THEY ARE PRESSING YOU FOR AN ANSWER.

25X1A

4. ASK TO ASSIST YOU WITH THE EVALUATION OF THIS FACILITY. IN EVENT YOU DETERMINE THE INSTALLATION IS DESIREABLE SUGGEST CONTROL BOX BE LOCATED IN OPERATIONS.

END OF MESSAGE